

B 140 Pan Mixer

beba advantages

- Excellent power transmission
- Perfect for high-performance concrete or refractory material
- Low dumping height with vertical adjustment
- Calm mixing during accurate mixing movement
- Very high torque for a powerful start to mixing
- Forklift carriage
- The mixer is freely accessible and makes easy, comfortable filling possible over the protection cover - the mixing process can be observed very well
- The protection cover is hinged and has a safety disconnection
- The removable hand drawbar over quick-locking mechanisms is accommodated in a connector at the container
- Extension cable with phase inverter (10 m)
- Air wheels over quick-locking mechanisms in front and in the back plug-on, when emptying e.g. a barrow can be stored crosswise
- The mixing tools are completely removable for easy cleaning (B 140 and B 325)
- Emptying by segment side-gate for a fast, clean and well-proportioned emptying of the mixing material
- CE-conform in accordance to European Union machine guidelines



B 140 Pan Mixer



BS 140 feeder



BS 140 feeder



B 140 with timer



B 140 with laterally outlet,
dust cover,
metering unit

B 140 Pan Mixer

Voltage:	1-phase/3-phase	D 1:	810 mm
Power:	2,2 kW, 1-phase	H 1:	585-885 mm
Power:	4 KW, 3-phase	H 2:	485 mm
Mixing volume:	100 liters	H 3:	495-795 mm
Total volume:	140 liters	H 4:	345 mm
Weight:	235 kg		
Speed:	50 rpm		

B 140 dimension sheet

