


B 800 Pan Mixer

beba advantages:

- excellent power transmission
- perfect for high-performance concrete or refractory material
- low dumping height - vertical adjustment (1670-1800mm)
- calm mixing during accurate mixing movement by two-way bearing of the main shaft
- very high torque for a powerful start to mixing
- forklift carriage
- the mixer is freely accessible and makes easy, comfortable filling possible over the protection cover - the mixing process can be observed very well
- the protection cover is hinged and has a safety disconnection
- the removable hand drawbar over quick-locking mechanisms is accommodated in a connector at the container
- extension cable with phase inverter (10m)
- emptying by segment side-gate for a fast, clean and well-proportioned emptying of the mixing material
- CE-conform in accordance to European Union machine guidelines



B 800 Pan Mixer - options



B 800 - clamp to fix the sack



B 800 with filling system



B 800 complete in stainless steel



B 800 with dust cover, border apron, outlet chute and forklift carriage

B 800 Pan Mixer

Voltage:	3-phase	D 1:	1500 mm
Power:	15 KW	H 1:	900-1030 mm
Mixing volume:	600 liters	H 2:	770 mm
Total volume:	800 liters	H 3:	790-920 mm
Weight:	800 kg	H 4:	500 mm
Speed:	26 rpm		

B 800 dimension sheet

